RHEINZINK®

SUBSTATION AND GRID BASE OERLIKON

Zurich, Schweiz

Bauherr
Elektrizitätswerk der Stadt Zürich
Zurich
Switzerland

Planender Architekt
illiz architektur ZT OG, Vienna, Austria
illiz architektur GmbH, Zurich, Switzerland

Ausführung der RHEINZINK-Arbeiten
Ammann & Thürlemann AG
Zuzwil
Switzerland

Technische Daten
Facade: 21 t, Surface Design
RHEINZINK-prePATINA graphite-grey

Copyright Bilder
Roger Frei, Zürich

Is it really impossible to visualise electricity? The new construction of the substation made it happen. The grid base in Zurich-Oerlikon is a brilliant symbiosis of architecture and technology. The iridescent facade complies with safety measures while keeping the high-voltage switching station publicly visible and accessible. The centrepiece of the new construction is a 150 kV high-voltage switching system with an oversized window box that allows it to be viewed from the outside. The walls of the window box are clad with a multimedia mirror installation so that the viewer can be fascinated by the electronic systems. A total of 20.6 t of RHEINZINK titanium zinc with the RHEINZINK prePATINA graphite grey surface quality were used in cassettes. A large part of the cassettes had an openwork design so that the audible and tangible humming of the electricity could be visualised. You can find more information in the project report that can be downloaded on the left.